

b) Trastorno bipolar

Escala	Referencia a la escala	Referencia artículo de validación inglés	Referencia artículo de validación español	PDF
<p>Young Mania Rating Scale (YMRS)</p>	<p>Young, R. C., Biggs, J. T., Ziegler, V. E., & Meyer, D. A. (1978). A rating scale for mania: reliability, validity and sensitivity. <i>Br J Psychiatry</i>, 133, 429-435. doi:10.1192/bjp.133.5.429</p>	<p>Marchand, W. R., Clark, S. C., Wirth, L., & Simon, C. (2005). Validity of the parent young mania rating scale in a community mental health setting. <i>Psychiatry (Edgmont)</i>, 2(3), 31-35. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/21179627</p>	<p>-Colom, F., Vieta, E., Martínez-Aran, A., García-García, M., Reinares, M., Torrent, C., . . . Salamero, M. (2002). [Spanish version of a scale for the assessment of mania: validity and reliability of the Young Mania Rating Scale]. <i>Med Clin (Barc)</i>, 119(10), 366-371. doi:10.1016/s0025-7753(02)73419-2</p> <p>-Serrano, E., Ezpeleta, L., Alda, J. A., Matali, J. L., & San, L. (2011). Psychometric properties of the Young Mania Rating Scale for the identification of mania symptoms in Spanish children and adolescents with attention deficit/hyperactivity disorder. <i>Psychopathology</i>, 44(2), 125-132. doi:10.1159/000320893</p>	<p>Sí, en inglés y español</p>
<p>The Kiddie Schedule for Affective Disorders and Schizophrenia (K-SADS)</p>	<p>Kaufman, J., Birmaher, B., Brent, D., Rao, U., Flynn, C., Moreci, P., Ryan, N. (1997). Schedule for Affective</p>	<p>Kaufman, J., Birmaher, B., Brent, D., Rao, U., Flynn, C., Moreci, P., Ryan, N. (1997). Schedule for Affective</p>	<p>de la Pena, F. R., Villavicencio, L. R., Palacio, J. D., Felix, F. J., Larraguibel, M., Viola, L., . . . Ulloa, R. E. (2018). Validity and</p>	<p>Sí, en inglés y español</p>

	Disorders and Schizophrenia for School-Age Children-Present and Lifetime Version (K-SADS-PL): initial reliability and validity data. <i>J Am Acad Child Adolesc Psychiatry</i> , 36(7), 980-988. doi:10.1097/00004583-199707000-00021	Disorders and Schizophrenia for School-Age Children-Present and Lifetime Version (K-SADS-PL): initial reliability and validity data. <i>J Am Acad Child Adolesc Psychiatry</i> , 36(7), 980-988. doi:10.1097/00004583-199707000-00021	reliability of the kiddie schedule for affective disorders and schizophrenia present and lifetime version DSM-5 (K-SADS-PL-5) Spanish version. <i>BMC Psychiatry</i> , 18(1), 193. doi:10.1186/s12888-018-1773-0	
Child Mania Rating Scale (CMRS)	Pavuluri, M. N., Henry, D. B., Devineni, B., Carbray, J. A., & Birmaher, B. (2006). Child mania rating scale: development, reliability, and validity. <i>J Am Acad Child Adolesc Psychiatry</i> , 45(5), 550-560. doi:10.1097/01.chi.0000205700.40700.50	Pavuluri, M. N., Henry, D. B., Devineni, B., Carbray, J. A., & Birmaher, B. (2006). Child mania rating scale: development, reliability, and validity. <i>J Am Acad Child Adolesc Psychiatry</i> , 45(5), 550-560. doi:10.1097/01.chi.0000205700.40700.50	No validada	Sí, en inglés
Seasonal pattern assessment questionnaire. Cuestionario de Perfil estacional (SPAQ)	Rosenthal, N. E., Carpenter, C. J., James, S. P., Parry, B. L., Rogers, S. L., & Wehr, T. A. (1986). Seasonal affective disorder in children and adolescents. <i>Am J Psychiatry</i> , 143(3), 356-358. doi:10.1176/ajp.143.3.356	Mersch, P. P., Vastenburger, N. C., Meesters, Y., Bouhuys, A. L., Beersma, D. G., van den Hoofdakker, R. H., & den Boer, J. A. (2004). The reliability and validity of the Seasonal Pattern Assessment Questionnaire: a comparison between patient groups. <i>J Affect Disord</i> , 80(2-3), 209-219. doi:10.1016/S0165-0327(03)00114-9	Goikolea, J. M., Miralles, G., Bulbena Cabre, A., Vieta, E., & Bulbena, A. (2003). [Spanish adaptation of the Seasonal Pattern Assessment Questionnaire (SPAQ) in the adult and children-adolescent versions]. <i>Actas Esp Psiquiatr</i> , 31(4), 192-198. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/12838442	Sí, en español
Mood Disorders Questionnaire	-Hirschfeld, R. M. (2002). The	Miller, C. J., Klugman, J., Berv,	J Sánchez-Moreno, E Vieta, S	Sí, en inglés y español

(MDQ)	<p>Mood Disorder Questionnaire: A Simple, Patient-Rated Screening Instrument for Bipolar Disorder. <i>Prim Care Companion J Clin Psychiatry</i>, 4(1), 9-11. doi:10.4088/pcc.v04n0104</p> <p>-Hirschfeld, R.M.A, Williams, J.B.W., Spitzer, R.L., et al.(2000). Development and validation of a screening instrument for bipolar spectrum disorder: the Mood Disorder Questionnaire. <i>Am J Psychiatry</i>, 157:1873–1875.</p>	<p>D. A., Rosenquist, K. J., & Ghaemi, S. N. (2004). Sensitivity and specificity of the Mood Disorder Questionnaire for detecting bipolar disorder. <i>J Affect Disord</i>, 81(2), 167-171. doi:10.1016/S0165-0327(03)00156-3</p>	<p>Zaragoza, M Barrios, M de Gracia, J Lahuerta, G Sánchez. (2005). Proceso de adaptación al español del cuestionario Mood Disorder Questionnaire. <i>Psiquiatr Biol</i>, 12:137-43.</p>	
General Behavior Inventory (GBI)	<p>Depue, R. A., Krauss, S., Spoont, M. R., & Arbisi, P. (1989). General behavior inventory identification of unipolar and bipolar affective conditions in a nonclinical university population. <i>J Abnorm Psychol</i>, 98(2), 117-126. doi:10.1037//0021-843x.98.2.117</p> <p>Depue, R. A., Slater, J. F., Wolfstetter-Kausch, H., Klein, D. N., Goplerud, E., & Farr, D. A. (1981). A behavioral paradigm for identifying persons at risk for bipolar</p>	<p>- Danielson, C. K., Youngstrom, E. A., Findling, R. L., & Calabrese, J. R. (2003). Discriminative validity of the general behavior inventory using youth report. <i>J Abnorm Child Psychol</i>, 31(1), 29-39. doi:10.1023/a:1021717231272</p> <p>-Youngstrom, E. A. (2015). Using standardized methods to assess suicidal behavior: the need is even greater than it looks. <i>J Clin Psychiatry</i>, 76(10), e1331-1332. doi:10.4088/JCP.14com09573</p> <p>-Youngstrom, E. A., Findling, R.</p>	No validada	Sí

	depressive disorder: A conceptual framework and five validation studies. <i>Journal of Abnormal Psychology</i> , 90, 381-437.	L., Danielson, C. K., & Calabrese, J. R. (2001). Discriminative validity of parent report of hypomanic and depressive symptoms on the General Behavior Inventory. <i>Psychol Assess</i> , 13(2), 267-276. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/11433802		
--	---	--	--	--